

Maharashtra University of Health Sciences, Nashik

Trust Deed / Bylaws/ Registration Certificate
(Trust / Hospital (Bombay Nursing Act))

Faculty : Ayurvedic

Name of College/Institute :Yashwant Ayurvedic college Post Graduate Training & Research Centre
Kodoli Tal. Panhala Dist. Kolhapur

Name of Trust / Society	Shri Yashwant Shikshan Prasarak Mandal, Kodoli
Registration Certificate	Trust / Society Society :- Shri Yashwant Shikshan Prasarak Mandal, Kodoli Tal. Panhala Dist Kolhapur Trust Registration :- Under Societies Registration Act 1860 : MAH /2396 / Kolhapur Dated 04 October 1982 Under Charitable Act 1950 : F/2302/Kolhapur Dated 08 December 1982 Hospital (Bombay Nursing Act) Registration No: 58 dated 23/02/2021 for three years valid up to 31/03/2024
Name of the College / Institute (As per First Affiliation letter)	Yashwant Ayurvedic college Post Graduate Training & Research Centre Kodoli
Address	A/P Kodoli Tal. Panhala, Dist. Kolhapur. P.N. 416 114
Email ID	College : yamkodoli@gmail.com Hospital : yadrkodoli@gmail.com
Telephone / Mobile No.(s)	College : 02328-224146,224762 Hospital : 02328 -222044
Website	www.yackodoli.com
College Code	122109


Dean/ Principal Stamp & Signature
PRINCIPALYASHWANT AYURVEDIC COLLEGE,KODOLI.
TAL. Panhala, Dist. Kolhapur



महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुश्रूषा गृह नॉदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुश्रूषा गृह नॉदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुश्रूषागृह नॉदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

प्रमाणपत्र /CERTIFICATE

(मुंबई शुश्रूषा गृह नॉदणी अधिनियम, १९४९ च्या कालाम ५ अनवये दिलेले प्रमाणपत्र)

((Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5))

Dr. Shri / Smt

डॉ. श्री/श्रीमती

Hospital name

रुग्णालयाचे नांव

Address

पत्ता

Yashwant Dharmarth Rugnalaya

Kodoli

A.P. Kodoli Tal. Pamhala

Dist. Kolhapur 416114

नवीन नॉदणी/नृतांतरणासाठी वरीत नर्सिंग होम/मॅटर्निटी होमची नॉदणी करव्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number :

नॉदणी क्रमांक :

58

Maternity Beds : 37

प्रसुती खाटा :

Registration Date :

नॉदणी दिनांक :

06/01/2007

Nursing Beds :

शुश्रूषा खाटा : 231

Place : kolhapur

ठिकाणी : कोल्हापूर

Registration /Renewal Date :

नॉदणी/नृतांतरण दिनांक

This certificate shall be valid up to 31 March 2027

हे प्रमाणपत्र ३१ मार्च २०२७...पर्यंत वैध असेल.

१

(Dr. Rajesh Gaikwad)
District Health Officer
Zilla Parishad Kolhapur





Maharashtra Pollution Control Board
संग्रह वातानु प्रदूषण वातानु

SS Services, Ichalkaranji

S.NO. 638, C.S. NO. 17695, STP Compound, Near Sangali Naka,
Takawade Road, Ichalkaranji, Dist. Kolhapur – 416115

Emergency Mobile No. : 9822997711, e-mail: panavikas123@gmail.com



Unique Registration No.: 555/2023/01767



Offline QR Code



Online QR Code

Registration Certificate

Outward No.: SSS/2023/1335

Date: 22-11-2023

This is to certify that, **Yashwant Dharmarth Rungnayaya, at A/P. Kodoli, Tal. Panhala, Dist. Kolhapur, Kodoli, Maharashtra 416114** is registered with **M/s. S S Services, Ichalkaranji, Ichalkaranji** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

**1 Authorized Person of HCE
(Name and Designation)**

: Dr. Godbole Milind Mohan
The Medical Superintendent

2 Bombay Nursing Home Act Registration Details

a. BNH Registration Number	:	58
b. BNH Issue Date	:	23-02-2021
c. Total Number of Beds	:	268 Beds
d. BNH Validity (Form 'C')	:	31-03-2024

3 Common Treatment Facility Registration Details

a. Date of Registration	:	01-04-2015
b. No. of Beds Registered	:	268 Beds
c. Registration Validity	:	31-03-2024

4 Renewal of CTF Membership (if Applicable)

a. Renewal Date	:	01-04-2024
b. No. of Beds	:	268 Beds

5 MPCB Consent (Establish/ 1st Operate/ Renewal) Details

a. Consent / CCA Number	:	Format1.0/RO/0000115966/CR/2112001089
b. Issue Date	:	21-12-2021
c. Validity up to	:	31-03-2024



Authorized Signature



Name : Kishor Pawar/Abhaykumar Birnale
Designation : Partner

Note: HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW Storage area.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: <http://mpcb.gov.in>

Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I

No:- Format1.0/RO/UAN No.0000115966/CR - 2112001089

Date: 21/12/2021

To,

Dr. Milind Mohan Godbole,

M/s. Yashwant Dharmarth Rughnayya,

S. No. 1241-A, A/p. Kodoli, Tal. Panhala, Dist. Kolhapur.



Your Service is Our Duty

Sub: Grant of renewal of Combined Consent and BMW Authorization.

Ref:

1. Previous Combined Consent and Bio-Medical Authorization granted by the Board vide No. BO/ CAC-Cell/ CCA/ UAN No. 0000008882/ CAC-1903000778 dtd. 14.03.2019 valid up to 31.03.2021.
2. Your application for Combined Consent and Bio-Medical Authorization UAN No. 0000115966 dtd. 07.09.2021.
3. Minutes of Consent Appraisal Committee meeting held on 13 & 29.10.2021.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.03.2024**
2. **The capital investment of the project is Rs.8.5835 Crs. (As per C.A Certificate submitted by industry).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	268	Nos
b)	Total Plot Area	4756.78	Sq.Mtrs
c)	Total Built up Area	11608.86	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	2	As per Schedule -I	Sent to STP after disinfection
2.	Domestic effluent	08	As per Schedule - I	Used for Gardening

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	D.G. Set (82.5 KVA)	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1	Other Hazardous Waste	5.1 Used Oil	100	Ltr/A	Recycle	Sale to Auth. Party

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Garbage	50	Kg/Day	Composting	Used as manure for gardening
2	Dry Garbage	20	Kg/Day	Segregation	Sale to Auth. Party/ Vendor
3	STP Sludge	200	Kg/Day	Drying	Used as manure for gardening

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	65.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF M/s S.S. Services BMW CTF
		b) Soiled Waste	83.00		
		c) Expired or Discarded Medicines	45.00		
2	Red	Contaminated waste (Recyclable)	200.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF M/s S.S. Services BMW CTF
3	White (Translucent)	Waste sharps including Metals	80.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF M/s S.S. Services BMW CTF
4	Blue	a) Glassware	120.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF M/s S.S. Services BMW CTF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.

5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:


- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.
- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
- i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
- j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

13. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.

For and on behalf of the
Maharashtra Pollution Control
Board.



(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-3818	31/03/2021	NEFT
2	30000.00	MPCB-DR-6561	01/07/2021	NEFT

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
 - They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose.

SCHEDULE-I
Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided ETP of capacity 5 CMD comprising of primary treatment for disinfection of 2 CMD trade effluent generated from the hospital by Sodium Hypochlorite solution.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100

- C] After disinfection with Sodium Hypochlorite solution, partially treated trade effluent is sent to STP for further treatment & disposal.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 20 CMD with MBBR technology for the treatment of 8 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	10 mg/l
2	SS	Not to exceed	100 mg/l
3	COD	Not to exceed	50 mg/l

- C] The treated sewage shall be applied on land for gardening within premise to maximum extent and remaining shall be discharged in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	00

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II
Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	D.G. Set (82.5 KVA)	Acoustic Enclosure/ Stack	4.5	Diesel	10 Ltr/Hr	1.00	4.20

- The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C 2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				


SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the
Maharashtra Pollution Control
Board.



(Ashok Shingare IAS),
Member Secretary